

# Reducing Harms from Injection Drug Use & Opioid Use Disorder with Syringe Services Programs

## What Is a Syringe Services Program (SSP)?

**A community-based public health program that provides comprehensive harm reduction services such as**

- Sterile needles, syringes, and other injection equipment
- Safe disposal containers for needles and syringes
- HIV and hepatitis testing and linkage to treatment
- Education about overdose prevention and safer injection practices
- Referral to substance use disorder treatment, including medication-assisted treatment
- Referral to medical, mental health, and social services
- Tools to prevent HIV, STDs, and viral hepatitis including counseling, condoms, and vaccinations

## How Do SSPs Benefit Communities and Public Safety?

### SSPs Increase Entry Into Substance Use Disorder Treatment:

SSPs **reduce drug use**. People who inject drugs (PWID) are 5 times as likely to enter treatment for substance use disorder and more likely to reduce or stop injecting when they use an SSP.



### SSPs Reduce Needlestick Injuries:

SSPs **reduce needlestick injuries** among first responders by providing proper disposal. One in three officers may be stuck with a needle during their career. Increasing safe disposal also protects the public from needlestick injuries. SSPs do not increase local crime in the areas where they are located.



### SSPs Reduce Overdose Deaths:

SSPs **reduce overdose deaths** by teaching PWID how to prevent and respond to drug overdose. They also learn how to use naloxone, a medication used to reverse overdose.



### 3,600 HIV Diagnoses Among PWID In 2015:

SSPs **reduce new HIV and viral hepatitis infections** by decreasing the sharing of syringes and other injection equipment. About 1 in 3 young PWID (aged 18–30) have hepatitis C.



### Prevention Saves Money:

SSPs **save health care dollars** by preventing infections. The estimated lifetime cost of treating one person living with HIV is more than \$400,000. Testing linked to hepatitis C treatment can save an estimated 320,000 lives.



**SSPs DON'T INCREASE DRUG USE OR CRIME.**

Learn more at [www.cdc.gov/hiv/risk/ssps.html](http://www.cdc.gov/hiv/risk/ssps.html)

National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention  
Division of HIV/AIDS Prevention



## Bibliography

1. CDC. HIV and injection drug use: Syringe services programs for HIV prevention [fact sheet]. Accessed May 15, 2017. [www.cdc.gov/vitalsigns/pdf/2016-12-vitalsigns.pdf](http://www.cdc.gov/vitalsigns/pdf/2016-12-vitalsigns.pdf).
2. Seal KH, Thawley R, Gee L, et al. Naloxone distribution and cardiopulmonary resuscitation training for injection drug users to prevent heroin overdose death: A pilot intervention study. *J Urban Health* 2005;82(2):303-11.
3. Tobin KE, Sherman SG, Beilenson P, Welsh C, Latkin CA. Evaluation of the staying alive programme: Training injection drug users to properly administer naloxone and save lives. *Int J Drug Policy* 2009;20(2):131-6.
4. Wodak A, Cooney A. Do needle syringe programs reduce HIV infection among injecting drug users: A comprehensive review of the international evidence. *Subst Use Misuse* 2006;41(6-7):777-813.
5. Institute of Medicine. Hepatitis and liver cancer: A national strategy for prevention and control of Hepatitis B and C [report]. Accessed June 6, 2017. [www.cdc.gov/hepatitis/pdfs/iom-hepatitisandlivercancerreport.pdf](http://www.cdc.gov/hepatitis/pdfs/iom-hepatitisandlivercancerreport.pdf).
6. Hahn JA, Evans JL, Davidson PJ, Lum PJ, Page K. Hepatitis C virus risk behaviors within the partnerships of young injecting drug users. *Addiction* 2010;105(7):1254-64.
7. Davis CS, Johnston J, De Saxe Zerden L, Clark K, Castillo T, Childs R. Attitudes of North Carolina law enforcement officers toward syringe decriminalization. *Drug Alcohol Depend* 2014;144:265-9.
8. Lorentz J, Hill L, Samimi B. Occupational needle stick injuries in a metropolitan police force. *Am J Prev Med* 2000;18(2):146-50.
9. CDC. FY 2017 president's budget request [fact sheet]. Accessed June 6, 2017. <https://www.cdc.gov/budget/documents/fy2017/hiv-aids-factsheet.pdf>.
10. Heimer R, Khoshnood K, Bigg D, Guydish J, Junge B. Syringe use and reuse: Effects of syringe exchange programs in four cities. *J Acquir Immune Defic Syndr* 1998;Suppl 18:S37-44.
11. Bluthenthal RN, Gogineni A, Longshore D, Stein M. Factors associated with readiness to change drug use among needle-exchange users. *Drug Alcohol Depend* 2001;62(3):225-30.
12. Kidorf M, King VL, Peirce J, Kolodner K, Brooner RK. Benefits of concurrent syringe exchange and substance abuse treatment participation. *J Subst Abuse Treat* 2011;40(3):265-71.
13. Strathdee SA, Celentano DD, Shah N, et al. Needle-exchange attendance and health care utilization promote entry into detoxification. *J Urban Health* 1999;76(4):448-60.
14. Hagan H, McGough JP, Thiede H, Hopkins S, Duchin J, Alexander ER. Reduced injection frequency and increased entry and retention in drug treatment associated with needle-exchange participation in Seattle drug injectors. *J Subst Abuse Treat* 2000;19(3):247-52.
15. Marx MA, Crape B, Brookmeyer RS, et al. Trends in crime and the introduction of a needle exchange program. *Am J Public Health* 2000;90(12):1933-36.
16. Galea S, Ahern J, Fuller C, Freudenberg N, Vlahov D. Needle exchange programs and experience of violence in an inner city neighborhood. *J Acquir Immune Defic Syndr* 2001;28(3):282-8.
17. CDC. Diagnoses of HIV infection in the United States and dependent areas, 2015. *HIV Surveillance Report* 2016:27. Accessed May 1, 2017. <https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-2015-vol-27.pdf>.